Instrument Schedule

TABLE OF CONTENTS

1FOH 1
1ELEC 2
2elec 3
3ELEC 5
House 6
storage 6

1FOH

~12' DS plaster line, 1-16

Unit	Purpose	Instrument Type & Accessories	Watts	Clr & Tm	Chn	Addr	Dim
1	I FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	R02	(1)	1/1	1
2	V FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	R02	(5)	1/2	2
3	I FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	r54	(21)	1/3	3
4	V FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	r54	(25)	1/4	4
5	II FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	R02	(2)	1/5	3
6	VI FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	R02	(6)	1/6	4
7	MOVING LIGHT SPECIAL SR	INTIMIDATOR SPOT 260X	300w		(302)	2/15	7
8	II FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	r54	(22)	1/7	4
9	VI FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	r54	(26)	1/8	
10	MOVING LIGHT SPECIAL SL	INTIMIDATOR SPOT 260X	300w		(301)	2/1	7
10	III FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	R02	(3)	1/9	5
11	VII FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	R02	(7)	1/10	6
12	III FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	r54	(23)	1/11	6
13	VII FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	r54	(27)	1/12	10
14	IV FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	R02	(4)	1/13	10
15	VIII FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	R02	(8)	1/14	8
16	IV FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	r54	(24)	1/15	14
17	VIII FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	r54	(28)	1/16	7

1ELEC

~2' US plaster line, 17-46

Unit	Purpose	Instrument Type & Accessories	Watts	Clr & Tm	Chn	Addr	Dim
1	IN 1 HIGH SIDE SR	ACCLAIM AXIAL 24-44 ZOOM	575w	R17	(64)	1/24	44
2	I BACK	ETC S4 JR 50 DEG.	575w	N/C	(41)	1/43	43
3	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser	90w		(111)	1/150	18
4	IN 1 HIGH SIDE SR	ACCLAIM AXIAL 24-44 ZOOM	575w	L119	(84)	1/19	39
5	IN 1 HIGH SIDE CR	ACCLAIM AXIAL 24-44 ZOOM	575w	R17	(62)	1/38	38
6	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser	90w		(112)	1/156	18
7	II BACK	ACCLAIM AXIAL 24-44 ZOOM	575w	N/C	(42)	1/35	35
8	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser	90w		(113)	1/162	18
9	IN 1 HIGH SIDE CR	ACCLAIM AXIAL 24-44 ZOOM	575w	L119	(82)	1/30	30
10	IN 1 HIGH SIDE CL	ACCLAIM AXIAL 24-44 ZOOM	575w	R17	(61)	1/44	29
11	III BACK	ALTMAN 6" FRESNEL	750w	N/C	(43)	1/28	28
12	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser	90w		(114)	1/168	18
13	IN 1 HIGH SIDE CL	ACCLAIM AXIAL 24-44 ZOOM	575w	L119	(81)	1/39	25
14	IN 1 HIGH SIDE SL	ACCLAIM AXIAL 24-44 ZOOM	575w	R17	(63)	1/29	24
15	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser	90w		(115)	1/174	18
16	IV BACK	ALTMAN 6" FRESNEL	750w	N/C	(44)	1/20	20
17	IN 1 HIGH SIDE SL	ACCLAIM AXIAL 24-44 ZOOM	575w	L119	(83)	1/25	19

2elec

~6'-7" US plaster line, 47-70

Unit	Purpose	Instrument Type & Accessories	Watts	Clr & Tm	Chn	Addr	Dim
	LANTERN SPECIAL	LED FLICKER CANDLE			(300)	1/66	65
	LANTERN SPECIAL	LED FLICKER CANDLE			(300)	1/65	65
1	IN 2 HIGH SIDE SR	ACCLAIM AXIAL 24-44 ZOOM	575w	R17	(68)	1/51	70
2	IX FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	R02	(9)	1/69	69
3	V BACK	ALTMAN 6" FRESNEL	750w	N/C	(45)	1/68	68
4	IX FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	r54	(29)	1/67	67
5	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser	90w		(121)	1/180	45
6	IN 2 HIGH SIDE SR	ACCLAIM AXIAL 24-44 ZOOM	575w	L119	(88)	1/47	63
7	IN 2 HIGH SIDE CR	ACCLAIM AXIAL 24-44 ZOOM	575w	R17	(86)	1/57	62
8	X FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	R02	(10)	1/61	61
9	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser	90w		(122)	1/186	45
10	VI BACK	ALTMAN 6" FRESNEL	750w	N/C	(46)	1/60	60
11	X FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	r54	(30)	1/59	59
12	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser	90w		(123)	1/192	45
13	IN 2 HIGH SIDE CR	ACCLAIM AXIAL 24-44 ZOOM	575w	L119	(66)	1/62	57
14	IN 2 HIGH SIDE CL	ACCLAIM AXIAL 24-44 ZOOM	575w	R17	(65)	1/70	56
15	VII BACK	ALTMAN 6" FRESNEL	750w	N/C	(47)	1/55	55
16	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser	90w		(124)	1/198	45
17	XI FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	R02	(11)	1/54	54

2elec

~6'-7" US plaster line, 47-70

Unit	Purpose	Instrument Type & Accessories	Watts	Clr & Tm	Chn	Addr	Dim
18	XI FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	r54	(31)	1/53	53
19	IN 2 HIGH SIDE CL	ACCLAIM AXIAL 24-44 ZOOM	575w	L119	(85)	1/63	52
20	IN 2 HIGH SIDE SL	ACCLAIM AXIAL 24-44 ZOOM	575w	R17	(67)	1/56	51
21	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser	90w		(125)	1/204	45
22	XII FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	R02	(12)	1/50	50
23	VIII BACK	ALTMAN 6" FRESNEL	750w	N/C	(48)	1/49	49
24	XII FRONT	ACCLAIM AXIAL 24-44 ZOOM	575w	r54	(32)	1/48	48
25	IN 2 HIGH SIDE SL	ACCLAIM AXIAL 24-44 ZOOM	575w	L119	(87)	1/52	47

3ELEC

~14'-6" US plaster line, 73-96

Unit	Purpose	Instrument Type & Accessories	Watts	Clr & Tm	Chn	Addr	Dim
1	IN 3 HIGH SIDE SR	ETC SOURCE 4 JR 50 DEG	575w	R17	(69)	1/90	90
2	IX BACK	ALTMAN 6" FRESNEL	750w	N/C	(49)	1/88	88
3	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser, Barn Door	90w		(131)	1/210	76
4	CYC	ALTMAN SPECTRACYC 100RGB	100w		(202)	1/141	75
5	IN 3 HIGH SIDE CR	ETC SOURCE 4 JR 50 DEG	575w	R17	(70)	1/86	86
6	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser, Barn Door	90w		(132)	1/216	76
7	IN 3 HIGH SIDE SR	ETC SOURCE 4 36 DEG	575w	L119	(92)	1/71	85
8	CYC	ALTMAN SPECTRACYC 100RGB	100w		(204)	1/137	75
9	X BACK	ALTMAN 6" FRESNEL	750w	N/C	(50)	1/83	83
10	CYC	ALTMAN SPECTRACYC 100RGB	100w		(206)	1/133	75
11	IN 3 HIGH SIDE CL	ACCLAIM AXIAL 24-44 ZOOM	575w	R17	(71)	1/82	88
12	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser, Barn Door	90w		(133)	1/222	76
13	IN 3 HIGH SIDE CR	ETC SOURCE 4 36 DEG	575w	L119	(90)	1/80	80
14	CYC	ALTMAN SPECTRACYC 100RGB	100w		(208)	1/129	75
15	XI BACK	ALTMAN 6" FRESNEL	750w	N/C	(51)	1/78	71
16	CYC	ALTMAN SPECTRACYC 100RGB	100w		(210)	1/121	75
17	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser, Barn Door	90w		(134)	1/228	76
18	IN 3 HIGH SIDE SL	ETC SOURCE 4 JR 50 DEG	575w	R17	(72)	1/76	76
19	CYC	ALTMAN SPECTRACYC 100RGB	100w		(212)	1/125	75
20	XII BACK	ALTMAN 6" FRESNEL	750w	N/C	(52)	1/75	75

3ELEC

~14'-6" US plaster line, 73-96

Unit	Purpose	Instrument Type & Accessories	Watts	Clr & Tm	Chn	Addr	Dim
21	COLOR WASH	ETC COLORSOURCE PAR DIRECT+ ETC Wide Round Diffuser, Barn Door	90w		(135)	1/234	76
22	IN 3 HIGH SIDE CL	ETC SOURCE 4 36 DEG	575w	L119	(89)	1/85	72
23	IN 3 HIGH SIDE SL	ETC SOURCE 4 36 DEG	575w	L119	(91)	1/72	71

House

Unit	Purpose	Instrument Type & Accessories	Watts	Clr & Tm	Chn	Addr	Dim
1	HOUSE LIGHTS HL	EYW BASED ARCHETECTURAL FIXTURE	500w		(252)	1/116	116
2	HOUSE LIGHTS HR	EYW BASED ARCHETECTURAL FIXTURE	500w		(253)	1/117	117
3	SCONCE LIGHTS HR	EYW BASED ARCHETECTURAL FIXTURE	500w		(254)	1/118	118
4	SCONCE LIGHTS BACK OF HOUSE	EYW BASED ARCHETECTURAL FIXTURE	500w		(255)	1/119	119
5	SCONCE LIGHTS HL	EYW BASED ARCHETECTURAL FIXTURE	500w		(256)	1/120	120
6	RECESSED LIGHTING HL, HR, AND ENTRY	VARIES			(251)	1/115	115

storage

Unit	Purpose	Instrument Type & Accessories	Watts	Clr & Tm	Chn	Addr	Dim
1	CYC	ELATION COLOR CHORUS 48	446w		(201)	1/320	
2	CYC	ELATION COLOR CHORUS 48	446w		(203)	1/316	
3	CYC	ELATION COLOR CHORUS 48	446w		(205)	1/312	
4	CYC	ELATION COLOR CHORUS 48	446w		(207)	1/308	
5	CYC	ELATION COLOR CHORUS 48	446w		(209)	1/304	
6	CYC	ELATION COLOR CHORUS 48	446w		(211)	1/300	